


AREA	DEPTH		WIDTH	
	Authorized	Recommended	Authorized	Recommended
1	24	22	300	300
2	23	21	200-350	200-350
3	21	21	150-300	150-300
4	21	Not Maintained	650	Not Maintained
5	23	Not Maintained	0-250	Not Maintained



TURNING BASIN  
DEPTH 21 FEET  
NOT MAINTAINED

FOUR CELLULAR  
STEEL SHEET  
PILE MOORING  
DOLPHINS  
2 CONSTRUCTED BY C.O.F.E.  
2 CONSTRUCTED BY B.&O.

PROJECT DEPTH 21 FT.  
RIVER CHANNEL UPSTREAM OF  
BRIDGE  
MAINTAINED TO 21 FT.

PROJECT DEPTH 23 FT.  
MAINTAINED TO 21'

PROJECT DEPTH 24 FT.  
MAINTAINED TO 22'

**NOTES**  
PROJECT DEPTHS AND SOUNDINGS ARE REFERRED TO LOW WATER DATUM. ELEVATION 243.3 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC (IGLD 1985) (INTERNATIONAL GREAT LAKES DATUM 1985).  
← 2 INDICATES MILES ABOVE ROCHESTER HARBOR LIGHT AT OUTER END OF WEST PIER.

**ROCHESTER HARBOR  
NEW YORK**  
SCALE OF FEET  
1000 500 0 1000  
U.S. ARMY ENGINEER DISTRICT BUFFALO  
SEPTEMBER 1994