

- NOTES:**
1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10 X 10 AREA CENTERED ON THE TEXT. DERIVED FROM A 1" X 1" AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
  2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.
  3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 4.0.
  4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.
  5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
  6. IMAGERY SOURCED FROM: ESRI & 2014 NAIP IMAGERY

**Keweenaw Waterway, MI**  
**Keweenaw Waterway**  
**KW\_01\_NAW\_20230913\_CS\_26**  
**13 September 2023**

**Sheet**  
**Reference**  
**Number**  
**26 of 37**

Submitted:	Surveyed By:
Recommended:	Plotted By:
Approved:	Checked By:




U.S. ARMY CORPS OF ENGINEERS  
DETROIT DISTRICT

**DISCLAIMER:** The data presented in this chart is for informational purposes only. The data is not intended to be used for navigation or other purposes. The user is responsible for the accuracy of the data and the results of any application of the data for other than its intended purpose.

**ACCESS AGREEMENT:** The United States Government (USG) hereby grants to the recipient a non-exclusive, non-transferable license to use the data for the purpose of the project described in the title of this chart. The recipient agrees to indemnify the USG from and hold the USG harmless from all claims, damages, and expenses, including reasonable attorneys' fees, arising from the use of the data for any purpose other than the project described in the title of this chart.








**LEGEND**


- ..... Cable Submarine
- - Cable Overhead
- ▭ Channel\_Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'



1 inch = 100 feet



- NOTES:**
1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10 X 10 AREA CENTERED ON THE TEXT. DERIVED FROM A 1" X 1" AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
  2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.
  3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POSIMV VER. 4.0.
  4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.
  5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
  6. IMAGERY SOURCED FROM: ESRI & 2014 NAIP IMAGERY



DISCLAIMER: The data presented in this chart is the result of data collection and processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The user is responsible for the accuracy of the data and for the accuracy of any of the application of the data for other than its intended purpose.




DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The recipient may not transfer these data to others without also transferring the Disclaimer.

U.S. ARMY CORPS OF ENGINEERS DETROIT DISTRICT			
Submitted:	Surveyed By:		
Recommended:	Plotted By:		
Approved:	Chief, Survey Section	Chief, Technical Services	

**Keweenaw Waterway, MI**  
**Keweenaw Waterway**  
**KW\_01\_NAW\_20230913\_CS\_27**  
**13 September 2023**

**Sheet**  
**Reference**  
**Number**  
**27 of 37**





**LEGEND**


- ..... Cable Submarine
- - Cable Overhead
- Channel\_Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'



1 inch = 100 feet



- NOTES:**
1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10 X 10 AREA CENTERED ON THE TEXT. DERIVED FROM A 1" X 1" AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
  2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.
  3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 4.0.
  4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.
  5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
  6. IMAGERY SOURCED FROM: ESRI & 2014 NAIP IMAGERY

**Keweenaw Waterway, MI**  
**Keweenaw Waterway**  
**KW\_01\_NAW\_20230913\_CS\_28**  
**13 September 2023**

**Sheet**  
**Reference**  
**Number**  
**28 of 37**




U.S. ARMY CORPS OF ENGINEERS DETROIT DISTRICT		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	
Approved:	Chief, Survey Section	
	Checked By:	
	Chief, Technical Services	

**DISCLAIMER:** The data represents the results of data collection and is not intended for use in any other manner than that for which it was collected. The user is responsible for the results of any application of the data for other than its intended purpose.

**ACCESS:** The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any other purpose, expressed, or implied concerning the accuracy, completeness, readability, usability or suitability for any particular purpose of the recipient. These data are not to be used for any other purpose, expressed, or implied concerning the accuracy, completeness, readability, usability or suitability for any particular purpose of the recipient. These data are not to be used for any other purpose, expressed, or implied concerning the accuracy, completeness, readability, usability or suitability for any particular purpose of the recipient. These data are not to be used for any other purpose, expressed, or implied concerning the accuracy, completeness, readability, usability or suitability for any particular purpose of the recipient.

**US Army Corps  
of Engineers**  
**District: CELRE**





**LEGEND**

- ..... Cable Submarine
- - Cable Overhead
- Channel\_Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

- NOTES:**
1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10 X 10 AREA CENTERED ON THE TEXT. DERIVED FROM A 1" X 1" AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
  2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.
  3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 4.0.
  4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.
  5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
  6. IMAGERY SOURCED FROM: ESRI & 2014 NAIP IMAGERY

  
**US Army Corps  
of Engineers**  
District: CELRE

The data is publicly available. The data represents the results of data collection and processing for a specific project. The US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended to be used for any other purpose than the intended purpose of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.



DISCLAIMER: The United States Government (unlike these data and the recipient accepts and uses them with the express understanding that the data is not intended to be used for any other purpose than the intended purpose of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS DETROIT DISTRICT	
Submitted:	Surveyed By:
Recommended:	Plotted By:
Approved:	Checked By:

**Keweenaw Waterway, MI**  
**Keweenaw Waterway**  
**KW\_01\_NAW\_20230913\_CS\_29**  
**13 September 2023**

**Sheet  
Reference  
Number**  
**29 of 37**





**LEGEND**

- ..... Cable Submarine
- Cable Overhead
- Channel\_Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

0 100 200 300 400 500 600

- NOTES:**
1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10 X 10 AREA CENTERED ON THE TEXT. DERIVED FROM A 1" X 1" AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
  2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.
  3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 4.0.
  4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.
  5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
  6. IMAGERY SOURCED FROM: ESRI & 2014 NAIP IMAGERY

**US Army Corps of Engineers**  
District: CELRE

DISCLAIMER: The data represents the results of data collection and processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended to be used for any purpose other than the intended purpose of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data is not intended to be used for any purpose other than the intended purpose of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS DETROIT DISTRICT		
Submitted:	Surveyed By:	
Recommended:	Printed By:	
Approved:	Chief, Survey Section	
	Chief, Technical Services	

**Keweenaw Waterway, MI**  
Keweenaw Waterway  
KW\_01\_NAW\_20230913\_CS\_30  
13 September 2023

**Sheet Reference Number**  
30 of 37




Sheet  
Reference  
Number  
**31 of 37**

**NOTES:**

1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10' X 10' AREA CENTERED ON THE TEXT, DERIVED FROM A 1' X 1' AVERAGE DATUM AT CELL CENTER. THIS CHART SHOULD BE USED FOR CHANNEL CLEARANCE OR VOLUME CALCULATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKESHAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT TROMOUKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN RZSONIC 2024 MULTIBEAM SONAR.
3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS ELLEVATIONED BY APPLIXIN MARINE POS/IMV VER. 4.0.
4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111) NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.
5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
6. IMAGERY SOURCED FROM ESRI & 2014 NAIP IMAGERY











[illegible]

U.S. ARMY CORPS OF ENGINEERS DETROIT DISTRICT	
Submitted _____	Surveyed By: _____
Recommended: Chief, Survey Section _____	Plotted By: _____
Approved: Chief Technical Services _____	Checked By: _____

Keweenaw Waterway, MI  
Keweenaw Waterway  
KW\_01\_NAW\_20230914\_CS\_35  
14 September 2023







Sheet  
Reference  
Number  
**35 of 37**



**NOTES:**

1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10' X 10' AREA CENTERED ON THE TEXT. DERIVED FROM A 1" X 1" AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SWAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.
2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN RZSONIC 2024 MULTIBEAM SONAR.
3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 4.0.
4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111) NORTH AMERICAN DATUM 1983 (NAD83). US SURVEY FOOT.
5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.
6. IMAGERY SOURCED FROM: ESRI & 2014 NAIP IMAGERY





NOTES: 1. THE CHARTED SOUNDINGS REPRESENT THE MINIMUM DEPTH MEASURED AT THE TIME OF THE SURVEY WITHIN THE 10 X 10 AREA CENTERED ON THE TEXT. DERIVED FROM A 1 X 1 AVERAGE DATASET AT CELL CENTER. THIS CHART SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

2. ALL SOUNDING DEPTHS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85) LOW WATER DATUM ELEVATION 601.1 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC. WATER LEVEL READINGS WERE OBTAINED WITH REAL TIME KINEMATIC (RTK) GLOBAL POSITIONING SYSTEM (GPS) VALUES. DEPTHS ARE MEASURED USING AN RZSONIC 2024 MULTIBEAM SONAR.

3. HORIZONTAL POSITIONING IS DETERMINED USING RTK GPS CORRECTIONS FROM A BASE STATION. THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POSMV VER. 4.0.

4. THE GRID COORDINATE SYSTEM IS MICHIGAN STATE PLANE, NORTH ZONE (2111), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

5. THE PROJECT DEPTHS FOR THIS WATERWAY ARE: 32.0', 30.0', 28.0', 27.0', 26.0' & 25' AS INDICATED HEREON.

6. IMAGERY SOURCED FROM: ESRI & 2014 NAI/ IMAGERY



DISCLAIMER: The data presented in this chart is the result of data collection and processing for a specific project. The US Army Corps of Engineers is not responsible for the accuracy, completeness, or reliability of the data presented in this chart. The user is responsible for the results of any application of the data for other than its intended purpose.

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The recipient may not transfer these data to others without also transferring this disclaimer.

Submitted:	Surveyed By:
Recommended:	Plotted By:
Chief, Survey Section	Checked By:
Approved:	Chief, Technical Services

Keweenaw Waterway, MI  
Keweenaw Waterway  
KW\_01\_NAW\_20230914\_CS\_36  
14 September 2023

Sheet  
Reference  
Number  
36 of 37